

Phone: (757) 673-2684

Email: info@memegdesignco.com



Bulk Luxury Vinyl Flooring Catalog

Free Lay Vinyl Flooring

Free Lay is an innovative waterproof flooring that is installed the same way as a traditional Glue Down Luxury Vinyl, except the adhesive is only around the perimeter like a carpet tile installation.

Cargo Luxury Vinyl Flooring 9W x 48L – Free Lay



Plank size is 9" wide x 48" long. Textured wood finish 100% water proof product with a freelay/glue down system	
Color: Cargo RS rough sawn texture finish	100% Waterproof Planks
Gauge-Thickness: 4.7mm total gauge	PVC Planks can be installed directly over any level/dry cementitious and APA rated underlayment grade plywood substrate
Wearlayer: 22mil with UV cured urethane top coat	Embossed woodgrain finish. Looks and Feels like genuine Hardwood without the price!
Construction: PVC 40% recycled content DPTP - no phthalates	PVC is made with 100% Recyclable Materials (40% recycled content) DPTP no phthalates
Warranty: 15 year residential 5 year commercial	Pre-Attached 1.5mm Kolay acoustical integrated Pad offers high STC & IIC Sound transfer rating
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Pre-Attached 1.5mm Kolay acoustical integrated Pad (KAI BACK) makes for a quieter and warmer floor
Finish: Embossed Textured Finish, mimics the appearance and feel of Genuine Hardwood	To cut planks, simple score with a utility knife and the plank will easily snap. To cut planks, simple score with a utility knife and the plank will easily snap
Installation: Free lay installation system. Please note it is recommended to glue down the perimeter - average room up to 12 feet (Glue adhesive Taylor 2098-2091 or equal)	Hot Pressed Deco Paper Layer. Installs without transition unlimited sq.ft
Packaging: 4.7mm x 22mil: 36 sq.ft/carton 56 cartons/pallet - 2,016 sq.ft/pallet	Free lay (perimeter glue, residential only - full spread for larger areas) or Glue down system with pressure sensitive adhesive (Taylor 2098-2091 or equal). For a stronger bond lay floor in the recommended adhesive semi-wet, approximately 25-30 minutes after spreading

Tioga Luxury Vinyl Flooring 9W x 48L - Free Lay



Plank size is 9 inch wide x 48 inch long. Textured wood finish		100% water proof product with a freelay/glue down system
Color: Tioga RS rough sawn texture finish		100% Waterproof Planks
Gauge-Thickness: 4.7mm total gauge		PVC Planks can be installed directly over any level/dry cementitious and APA rated underlayment grade plywood substrate
Wearlayer: 12mil or 22mil with UV cured urethane top coat		Embossed woodgrain finish. Looks and Feels like genuine Hardwood without the price!
Construction: PVC 40% recycled content DPTP - no phthalates		PVC is made with 100% Recyclable Materials (40% recycled content) DPTP no phthalates
Warranty: 15 year residential 5 year commercial		Pre-Attached 1.5mm Kolay acoustical integrated Pad offers high STC & IIC Sound transfer rating
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements		Pre-Attached 1.5mm Kolay acoustical integrated Pad (KAI BACK) makes for a quieter and warmer floor
Finish: Embossed Textured Finish, mimics the appearance and feel of Genuine Hardwood		To cut planks, simple score with a utility knife and the plank will easily snap. To cut planks, simple score with a utility knife and the plank will easily snap
Installation: Free lay installation system. Please note it is recommended to glue down the perimeter - average room up to 12 feet (Glue adhesive Taylor 2098-2091 or equal)		Hot Pressed Deco Paper Layer. Installs without transition unlimited sq.ft
Packaging: 4.7mm x 12mil: 36 sq.ft/carton 56 cartons/pallet - 2,016 sq.ft/pallet or 4.7mm x 22mil: 36 sq.ft/carton 56 cartons/pallet - 2,016 sq.ft/pallet		Free lay (perimeter glue, residential only - full spread for larger areas) or Glue down system with pressure sensitive adhesive (Taylor 2098-2091 or equal). For a stronger bond lay floor in the recommended adhesive semi-wet, approximately 25-30 minutes after spreading

Taupe Luxury Vinyl Flooring 9W x 48L - Free Lay



Plank size is 9 inch wide x 48 inch long. Textured wood finish 100% water proof product with a freelay/glue down system	
Color: Taupe RS rough sawn texture finish	100% Waterproof Planks
Gauge-Thickness: 4.7mm total gauge	PVC Planks can be installed directly over any level/dry cementitious and APA rated underlayment grade plywood substrate
Wearlayer: 22mil with UV cured urethane top coat	Embossed woodgrain finish. Looks and Feels like genuine Hardwood without the price!
Construction: PVC 40% recycled content DPTP - no phthalates	PVC is made with 100% Recyclable Materials (40% recycled content) DPTP no phthalates
Warranty: 15 year residential 5 year commercial	Pre-Attached 1.5mm Kolay acoustical integrated Pad offers high STC & IIC Sound transfer rating
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Pre-Attached 1.5mm Kolay acoustical integrated Pad (KAI BACK) makes for a quieter and warmer floor
Finish: Embossed Textured Finish, mimics the appearance and feel of Genuine Hardwood	To cut planks, simple score with a utility knife and the plank will easily snap. To cut planks, simple score with a utility knife and the plank will easily snap
Installation: Free lay installation system. Please note it is recommended to glue down the perimeter - average room up to 12 feet (Glue adhesive Taylor 2098-2091 or equal)	Hot Pressed Deco Paper Layer. Installs without transition unlimited sq.ft
Packaging: 4.7mm x 22mil: 36 sq.ft/carton 56 cartons/pallet - 2,016 sq.ft/pallet	Free lay (perimeter glue, residential only - full spread for larger areas) or Glue down system with pressure sensitive adhesive (Taylor 2098-2091 or equal). For a stronger bond lay floor in the recommended adhesive semi-wet, approximately 25-30 minutes after spreading

Tavern Luxury Vinyl Flooring 9W x 48L - Free Lay



Plank size is 9 inch wide x 48 inch long. Textured wood finish	100% water proof product with a freelay/glue down system
Color: Tavern RS rough sawn texture finish	100% Waterproof Planks
Gauge-Thickness: 4.7mm total gauge	PVC Planks can be installed directly over any level/dry cementitious and APA rated underlayment grade plywood substrate
Wearlayer: 12mil with UV cured urethane top coat	Embossed woodgrain finish. Looks and Feels like genuine Hardwood without the price!
Construction: PVC 40% recycled content DPTP - no phthalates	PVC is made with 100% Recyclable Materials (40% recycled content) DPTP no phthalates
Warranty: 15 year residential 5 year commercial	Pre-Attached 1.5mm Kolay acoustical integrated Pad offers high STC & IIC Sound transfer rating
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Pre-Attached 1.5mm Kolay acoustical integrated Pad (KAI BACK) makes for a quieter and warmer floor
Finish: Embossed Textured Finish, mimics the appearance and feel of Genuine Hardwood	To cut planks, simple score with a utility knife and the plank will easily snap. To cut planks, simple score with a utility knife and the plank will easily snap
Installation: Free lay installation system. Please note it is recommended to glue down the perimeter - average room up to 12 feet (Glue adhesive Taylor 2098-2091 or equal)	Hot Pressed Deco Paper Layer. Installs without transition unlimited sq.ft
Packaging: 4.7mm x 12mil: 36 sq.ft/carton 56 cartons/pallet - 2,016 sq.ft/pallet	Free lay (perimeter glue, residential only - full spread for larger areas) or Glue down system with pressure sensitive adhesive (Taylor 2098-2091 or equal). For a stronger bond lay floor in the recommended adhesive semi-wet, approximately 25-30 minutes after spreading

Granite Grey Luxury Vinyl Flooring 9W x 48L - Free Lay



Plank size is 9 inch wide x 48 inch long. Textured wood finish		100% water proof product with a freelay/glue down system
Color: Granite Grey RS rough sawn texture finish		100% Waterproof Planks
Gauge-Thickness: 4.7mm total gauge		PVC Planks can be installed directly over any level/dry cementitious and APA rated underlayment grade plywood substrate
Wearlayer: 12mil with UV cured urethane top coat		Embossed woodgrain finish. Looks and Feels like genuine Hardwood without the price!
Construction: PVC 40% recycled content DPTP - no phthalates		PVC is made with 100% Recyclable Materials (40% recycled content) DPTP no phthalates
Warranty: 15 year residential 5 year commercial		Pre-Attached 1.5mm Kolay acoustical integrated Pad offers high STC & IIC Sound transfer rating
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements		Pre-Attached 1.5mm Kolay acoustical integrated Pad (KAI BACK) makes for a quieter and warmer floor
Finish: Embossed Textured Finish, mimics the appearance and feel of Genuine Hardwood		To cut planks, simple score with a utility knife and the plank will easily snap. To cut planks, simple score with a utility knife and the plank will easily snap
Installation: Free lay installation system. Please note it is recommended to glue down the perimeter - average room up to 12 feet (Glue adhesive Taylor 2098-2091 or equal)		Hot Pressed Deco Paper Layer. Installs without transition unlimited sq.ft
Packaging: 4.7mm x 12mil: 36 sq.ft/carton 56 cartons/pallet - 2,016 sq.ft/pallet		Free lay (perimeter glue, residential only - full spread for larger areas) or Glue down system with pressure sensitive adhesive (Taylor 2098-2091 or equal). For a stronger bond lay floor in the recommended adhesive semi-wet, approximately 25-30 minutes after spreading

Starboard Luxury Vinyl Flooring 9W x 48L - Free Lay



Plank size is 9 inch wide x 48 inch long. Textured wood finish		100% water proof product with a freelay/glue down system
Color: Starboard RS rough sawn texture finish		100% Waterproof Planks
Gauge-Thickness: 4.7mm total gauge		PVC Planks can be installed directly over any level/dry cementitious and APA rated underlayment grade plywood substrate
Wearlayer: 12mil with UV cured urethane top coat		Embossed woodgrain finish. Looks and Feels like genuine Hardwood without the price!
Construction: PVC 40% recycled content DPTP - no phthalates		PVC is made with 100% Recyclable Materials (40% recycled content) DPTP no phthalates
Warranty: 15 year residential 5 year commercial		Pre-Attached 1.5mm Kolay acoustical integrated Pad offers high STC & IIC Sound transfer rating
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements		Pre-Attached 1.5mm Kolay acoustical integrated Pad (KAI BACK) makes for a quieter and warmer floor
Finish: Embossed Textured Finish, mimics the appearance and feel of Genuine Hardwood		To cut planks, simple score with a utility knife and the plank will easily snap. To cut planks, simple score with a utility knife and the plank will easily snap
Installation: Free lay installation system. Please note it is recommended to glue down the perimeter - average room up to 12 feet (Glue adhesive Taylor 2098-2091 or equal)		Hot Pressed Deco Paper Layer. Installs without transition unlimited sq.ft
Packaging: 4.7mm x 12mil: 36 sq.ft/carton 56 cartons/pallet - 2,016 sq.ft/pallet		Free lay (perimeter glue, residential only - full spread for larger areas) or Glue down system with pressure sensitive adhesive (Taylor 2098-2091 or equal). For a stronger bond lay floor in the recommended adhesive semi-wet, approximately 25-30 minutes after spreading

Rustic Olive Luxury Vinyl Flooring 9W x 48L - Free Lay



Plank size is 9 inch wide x 48 inch long. Textured wood finish	100% water proof product with a freelay/glue down system
Color: Rustic Olive RS rough sawn texture finish	100% Waterproof Planks
Gauge-Thickness: 4.7mm total gauge	PVC Planks can be installed directly over any level/dry cementitious and APA rated underlayment grade plywood substrate
Wearlayer: 12mil with UV cured urethane top coat	Embossed woodgrain finish. Looks and Feels like genuine Hardwood without the price!
Construction: PVC 40% recycled content DPTP - no phthalates	PVC is made with 100% Recyclable Materials (40% recycled content) DPTP no phthalates
Warranty: 15 year residential 5 year commercial	Pre-Attached 1.5mm Kolay acoustical integrated Pad offers high STC & IIC Sound transfer rating
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Pre-Attached 1.5mm Kolay acoustical integrated Pad (KAI BACK) makes for a quieter and warmer floor
Finish: Embossed Textured Finish, mimics the appearance and feel of Genuine Hardwood	To cut planks, simple score with a utility knife and the plank will easily snap. To cut planks, simple score with a utility knife and the plank will easily snap
Installation: Free lay installation system. Please note it is recommended to glue down the perimeter - average room up to 12 feet (Glue adhesive Taylor 2098-2091 or equal)	Hot Pressed Deco Paper Layer. Installs without transition unlimited sq.ft
Packaging: 4.7mm x 12mil: 36 sq.ft/carton 56 cartons/pallet - 2,016 sq.ft/pallet	Free lay (perimeter glue, residential only - full spread for larger areas) or Glue down system with pressure sensitive adhesive (Taylor 2098-2091 or equal). For a stronger bond lay floor in the recommended adhesive semi-wet, approximately 25-30 minutes after spreading

Glue Down Vinyl Flooring

Glue down vinyl is installed when you use adhesive to seal the vinyl to the subfloor.

Starboard Luxury Vinyl Flooring 9W x 48L - 2mm x 12mil - Glue Down



Plank size is 9 inch wide x 48 inch long. Textured wood finish 100% water proof product with a glue down system	
Color: Starboard RS rough sawn texture finish	100% Waterproof Planks
Gauge-Thickness: 2mm total gauge	PVC Planks can be installed directly over any level/dry cementitious and APA rated underlayment grade plywood substrate
Wearlayer: 12mil with UV cured urethane top coat	Embossed woodgrain finish.
Construction: PVC 40% recycled content DPTP - no phthalates	PVC is made with 100% Recyclable Materials (40% recycled content) DPTP no phthalates
Warranty: 15 year residential 5 year commercial	To cut planks, simple score with a utility knife and the plank will easily snap. To cut planks, simple score with a utility knife and the plank will easily snap.
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Hot Pressed Deco Paper Layer
Finish: Embossed Textured Finish, mimics the appearance and feel of Genuine Hardwood	Installs without transition unlimited sq.ft
Installation: Glue down system using pressure sensitive adhesive (Taylor 2098-2091 or equal)	Entry level price point with commercial and residential warranty
Packaging: 2mm x 12mil: 60 sq.ft/carton 56 cartons/pallet - 3,360 sq.ft/pallet	Looks and Feels like genuine Hardwood without the price!

Rustic Olive Luxury Vinyl Flooring 9W x 48L - 2mm x 12mil - Glue Down



Plank size is 9 inch wide x 48 inch long. Textured wood finish 100% water proof product with a glue down system	
Color: Rustic Olive RS rough sawn texture finish	100% Waterproof Planks
Gauge-Thickness: 2mm total gauge	PVC Planks can be installed directly over any level/dry cementitious and APA rated underlayment grade plywood substrate
Wearlayer: 12mil with UV cured urethane top coat	Embossed woodgrain finish.
Construction: PVC 40% recycled content DPTP - no phthalates	PVC is made with 100% Recyclable Materials (40% recycled content) DPTP no phthalates
Warranty: 15 year residential 5 year commercial	To cut planks, simple score with a utility knife and the plank will easily snap. To cut planks, simple score with a utility knife and the plank will easily snap.
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Hot Pressed Deco Paper Layer
Finish: Embossed Textured Finish, mimics the appearance and feel of Genuine Hardwood	Looks and Feels like genuine Hardwood without the price!
Installation: Glue down system using pressure sensitive adhesive (Taylor 2098-2091 or equal)	Installs without transition unlimited sq.ft
Packaging: 2mm x 12mil: 60 sq.ft/carton 56 cartons/pallet - 3,360 sq.ft/pallet	Entry level price point with commercial and residential warranty

Click System Vinyl Flooring

Click Flooring is installed by simply snapping planks or tiles into place using the click-locking system integrated into the flooring product.

Rustic Olive Luxury Vinyl Flooring 9W x 48L - SPC Click



Plank size is 9 inch wide x 48 inch long. Textured wood finish	100% water proof product (no adhesive needed for installation)
Color: Rustic Olive RS rough sawn texture finish	100% waterproof planks
Gauge-Thickness: 5.5mmtotal gauge	No acclimation necessary
Wearlayer: 12mil with UV cured urethane top coat	PVC planks can be installed directly over any level substrate
Construction: SPC rigid core drop and lock click system	Embossed woodgrain finish. Looks and Feels like genuine Hardwood without the price!
Warranty: 15 year residential 5 year commercial	PVC is made with 100% Recyclable Materials (40% recycled content) DPTP no phthalates
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Pre-Attached 1.5mm Kolay acoustical integrated Pad offers high STC & IIC Sound transfer rating
Finish: Embossed Textured Finish, mimics the appearance and feel of Genuine Hardwood	Pre-Attached 1.5mm Kolay acoustical integrated Pad (KAI BACK) makes for a quieter and warmer floor
Installation: Drop and lock click system	To cut planks, simple score with a utility knife and the plank will easily snap. To cut planks, simple score with a utility knife and the plank will easily snap.
Packaging: 5.5mm x 12mil: 24 sq.ft/carton 56 cartons/pallet - 1,344 sq.ft/pallet	Hot pressed deco paper layer. Installs without transition up to 6,500 sq.ft. Click system drop and lock installtion

Terrafirma Ultra Emerald Valley Maple 7.25" x 48" x 6.5mm Luxury Vinyl Plank - 1086.30 SQFT



Please note there is a minimum order of 1 pallet. There are 1086.30 square feet per pallet.

Product Specifications:	Features:
Description: Plank Size 7.25" Wide x 48" Long, Embossed Texture Finish, 100% Waterproof	100% Waterproof Planks
Thickness: 6.5mm Total Thickness (5.00mm Core + 1.5mm EVA Pad attached)	No Acclimation Necessary
Wear Layer: 20 Mil with UV Ceramic Bead Coating	Rigid Planks can be installed directly over any level substrate
Construction: 5mm Rigid Composite Stone Hot Pressed SPC	No Glue, Nails or Underlayment Required for Installation.
Warranty: Lifetime Residential Fifteen Year Light Commercial	Looks and Feels like genuine Hardwood without the price!
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Embossed Finish
Click System: Unilclic® Angle/Angle Lay Down	Antimicrobial Top Coating.
Pallet: 10 Planks/Carton - 24.14sq.ft/Carton - 52.80 lbs/Carton 45 Boxes/Pallet - 1086.30 sq.ft/Pallet	Pre-Attached 1.5mm EVA Foam Pad makes for a quieter and warmer floor.
Green Guard Gold Certified	To cut planks, simple score with a utility knife and the plank will easily snap
	Hot Pressed Deco Paper Layer

Terrafirma Pro Tuscany 12" x 24" x 4.5mm Luxury Vinyl Plank - Minimum Order is 1 Pallet - 1320 SQFT



Please note there is a minimum order of 1 pallet. There are 1320 square feet per pallet.	
Product Specifications:	Features:
Description: Plank Size 12" Wide x 24" Long, Embossed Texture Finish, 100% Waterproof	100% Waterproof Planks, No Acclimation Necessary,
Thickness: 4.5mm Total Thickness	Rigid Planks can be installed directly over any level substrate
Wear Layer: 12 Mil with UV Urethane Top Layer	No Glue, Nails or Underlayment Required for Installation. To cut planks, simply score with a utility knife and the plank will easily snap.
Construction: Rigid Composite Stone PVC Core SPC	Looks and Feels like genuine Hardwood without the price!
Warranty: 15 Year Residential Five Year Light Commercial	Embossed Finish
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	SPC Core is Made with 100% Recyclable Materials
Finish: Embossed Textured Finish, Mimics the appearance and feel of Genuine Hardwood	Antimicrobial Top Coating.
Click System: Unilclick® Angle/Angle Lay Down	Pre-Attached 1.5mm EVA Foam Pad makes for a quieter and warmer floor.
Packaging:	Hot Pressed Deco Paper Layer
Pallet: 12 Planks/Carton - 28.97 sq.ft/Carton - 43.56lbs/Carton 65 Cartons /Pallet - 1883.05 sq.ft/Pallet	Installs over 6,400 SQ/FT without transition
Simple Installation Method	Green Guard Gold Certified

Terraforma Canyon Grey 6" x 48" Water Proof Vinyl Plank - Minimum Order is 1 Pallet - 1560 SQFT



Please note there is a minimum order of 1 pallet. There are 1560 square feet per pallet.	
Product Specifications:	Features:
Description: Plank Size 6" Wide x 48" Long, Embossed Texture Finish, 100% Waterproof	100% Waterproof Planks
Thickness: 4mm Total Thickness	Dimensionally Stable Rigid Planks can be installed directly over any level substrate.
Wear Layer: 12 Mil with UV Urethane Top Layer	No Glue, Nails or Underlayment Required for Installation.
Construction: 4mm Rigid Composite Stone Hot Pressed SPC	Looks and Feels like genuine Hardwood without the price!
Warranty: Lifetime Residential Five Year Light Commercial	Floating Floor
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Antimicrobial Top Coating
Finish: Embossed Textured Finish, Mimics the appearance and feel of Genuine Hardwood	Extra Impact Resistant
Click System: Unilclic® Angle/Angle Lay Down	To cut planks, simple score with a utility knife and the plank will easily snap.
Packaging:	Hot Pressed Deco Paper Layer
Pallet: 13 Planks/Carton - 26 sq.ft/Carton - 44.64 lbs./Carton. 60 Cartons/Pallet - 1560 sq.ft/Pallet	Extra Stable to Sun & Heat
Simple Installation Method	Green Guard Gold Certified


Terrafirma Savannah Cypress 6" x 48" Water Proof Vinyl Plank - Minimum Order is 1 Pallet - 1560 SQFT



Please note there is a minimum order of 1 pallet. There are 1560 square feet per pallet.

Product Specifications:	Features:
Description: Plank Size 6" Wide x 48" Long, Embossed Texture Finish, 100% Waterproof	100% Waterproof Planks
Thickness: 4mm Total Thickness	Dimensionally Stable Rigid Planks can be installed directly over any level substrate.
Wear Layer: 12 Mil with UV Urethane Top Layer	No Glue, Nails or Underlayment Required for Installation.
Construction: 4mm Rigid Composite Stone Hot Pressed SPC	Looks and Feels like genuine Hardwood without the price!
Warranty: Lifetime Residential Five Year Light Commercial	Floating Floor
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Antimicrobial Top Coating
Finish: Embossed Textured Finish, Mimics the appearance and feel of Genuine Hardwood	Extra Impact Resistant
Click System: Unilclic® Angle/Angle Lay Down	To cut planks, simple score with a utility knife and the plank will easily snap.
Packaging:	Hot Pressed Deco Paper Layer
Pallet: 13 Planks/Carton - 26 sq.ft/Carton - 44.64 lbs./Carton. 60 Cartons/Pallet - 1560 sq.ft/Pallet	Extra Stable to Sun & Heat
Simple Installation Method	Green Guard Gold Certified

Terrafirma Infinity Pecan 6" x 48" Water Proof Vinyl Plank - Minimum Order is 1 Pallet - 1560 SQFT



Please note there is a minimum order of 1 pallet. There are 1560 square feet per pallet.

Product Specifications:	Features:
Description: Plank Size 6" Wide x 48" Long, Embossed Texture Finish, 100% Waterproof	100% Waterproof Planks
Thickness: 4mm Total Thickness	Dimensionally Stable Rigid Planks can be installed directly over any level substrate.
Wear Layer: 12 Mil with UV Urethane Top Layer	No Glue, Nails or Underlayment Required for Installation.
Construction: 4mm Rigid Composite Stone Hot Pressed SPC	Looks and Feels like genuine Hardwood without the price!
Warranty: Lifetime Residential Five Year Light Commercial	Floating Floor
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Antimicrobial Top Coating
Finish: Embossed Textured Finish, Mimics the appearance and feel of Genuine Hardwood	Extra Impact Resistant
Click System: Unilclick® Angle/Angle Lay Down	To cut planks, simple score with a utility knife and the plank will easily snap.
Packaging:	Hot Pressed Deco Paper Layer
Pallet: 13 Planks/Carton - 26 sq.ft/Carton - 44.64 lbs./Carton. 60 Cartons/Pallet - 1560 sq.ft/Pallet	Extra Stable to Sun & Heat
Simple Installation Method	Green Guard Gold Certified

Terraforma Plus Nickel Landscape 7.25" x 48" Water Proof Vinyl Plank - Minimum Order is 1 Pallet - 1593.35 SQFT



Please note there is a minimum order of 1 pallet. There are 1593.35 square feet per pallet.

Product Specifications:	Features:
Description: Plank Size 7.25" Wide x 48" Long, Embossed Texture Finish, 100% Waterproof	100% Waterproof Planks
Thickness: 4mm Total Thickness	Dimensionally Stable Rigid Planks can be installed directly over any level substrate.
Wear Layer: 12 Mil with UV Urethane Top Layer	No Glue, Nails or Underlayment Required for Installation.
Construction: 4mm Rigid Composite Stone Hot Pressed SPC	Looks and Feels like genuine Hardwood without the price!
Warranty: Lifetime Residential Five Year Light Commercial	High Density Composite Core
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Antimicrobial Top Coating
Finish: Embossed Textured Finish, Mimics the appearance and feel of Genuine Hardwood	Extra Impact Resistant
Click System: Unilclic® Angle/Angle Lay Down	To cut planks, simple score with a utility knife and the plank will easily snap.
Packaging:	Hot Pressed Deco Paper Layer
Pallet: 12 Planks/Carton - 28.97 sq.ft/Carton - 49.37 lbs./Carton. 55 Cartons/Pallet - 1593.35 sq.ft/Pallet	Extra Stable to Sun & Heat
Simple Installation Method	Green Guard Gold Certified


Terraforma Plus Valley Fog 7.25" x 48" Water Proof Vinyl Plank - Minimum Order is 1 Pallet - 1593.35 SQFT



Please note there is a minimum order of 1 pallet. There are 1593.35 square feet per pallet.

Product Specifications:	Features:
Description: Plank Size 7.25" Wide x 48" Long, Embossed Texture Finish, 100% Waterproof	100% Waterproof Planks
Thickness: 4mm Total Thickness	Dimensionally Stable Rigid Planks can be installed directly over any level substrate.
Wear Layer: 12 Mil with UV Urethane Top Layer	No Glue, Nails or Underlayment Required for Installation.
Construction: 4mm Rigid Composite Stone Hot Pressed SPC	Looks and Feels like genuine Hardwood without the price!
Warranty: Lifetime Residential Five Year Light Commercial	High Density Composite Core
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Antimicrobial Top Coating
Finish: Embossed Textured Finish, Mimics the appearance and feel of Genuine Hardwood	Extra Impact Resistant
Click System: Unilclic® Angle/Angle Lay Down	To cut planks, simple score with a utility knife and the plank will easily snap.
Packaging:	Hot Pressed Deco Paper Layer
Pallet: 12 Planks/Carton - 28.97 sq.ft/Carton - 49.37 lbs./Carton. 55 Cartons/Pallet - 1593.35 sq.ft/Pallet	Extra Stable to Sun & Heat
Simple Installation Method	Green Guard Gold Certified

Terraforma Plus Montauk 7.25" x 48" Water Proof Vinyl Plank - Minimum Order is 1 Pallet - 1593.35 SQFT



Please note there is a minimum order of 1 pallet. There are 1593.35 square feet per pallet.

Product Specifications:	Features:
Description: Plank Size 7.25" Wide x 48" Long, Embossed Texture Finish, 100% Waterproof	100% Waterproof Planks
Thickness: 4mm Total Thickness	Dimensionally Stable Rigid Planks can be installed directly over any level substrate.
Wear Layer: 12 Mil with UV Urethane Top Layer	No Glue, Nails or Underlayment Required for Installation.
Construction: 4mm Rigid Composite Stone Hot Pressed SPC	Looks and Feels like genuine Hardwood without the price!
Warranty: Lifetime Residential Five Year Light Commercial	High Density Composite Core
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Antimicrobial Top Coating
Finish: Embossed Textured Finish, Mimics the appearance and feel of Genuine Hardwood	Extra Impact Resistant
Click System: Unilclic® Angle/Angle Lay Down	To cut planks, simple score with a utility knife and the plank will easily snap.
Packaging:	Hot Pressed Deco Paper Layer
Pallet: 12 Planks/Carton - 28.97 sq.ft/Carton - 49.37 lbs./Carton. 55 Cartons/Pallet - 1593.35 sq.ft/Pallet	Extra Stable to Sun & Heat
Simple Installation Method	Green Guard Gold Certified

Terraforma Plus Allspice 7.25" x 48" Water Proof Vinyl Plank - Minimum Order is 1 Pallet - 1593.35 SQFT



Please note there is a minimum order of 1 pallet. There are 1593.35 square feet per pallet.	
Product Specifications:	Features:
Description: Plank Size 7.25" Wide x 48" Long, Embossed Texture Finish, 100% Waterproof	100% Waterproof Planks
Thickness: 4mm Total Thickness	Dimensionally Stable Rigid Planks can be installed directly over any level substrate.
Wear Layer: 12 Mil with UV Urethane Top Layer	No Glue, Nails or Underlayment Required for Installation.
Construction: 4mm Rigid Composite Stone Hot Pressed SPC	Looks and Feels like genuine Hardwood without the price!
Warranty: Lifetime Residential Five Year Light Commercial	High Density Composite Core
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Antimicrobial Top Coating
Finish: Embossed Textured Finish, Mimics the appearance and feel of Genuine Hardwood	Extra Impact Resistant
Click System: Unilclick® Angle/Angle Lay Down	To cut planks, simple score with a utility knife and the plank will easily snap.
Packaging:	Hot Pressed Deco Paper Layer
Pallet: 12 Planks/Carton - 28.97 sq.ft/Carton - 49.37 lbs./Carton. 55 Cartons/Pallet - 1593.35 sq.ft/Pallet	Extra Stable to Sun & Heat
Simple Installation Method	Green Guard Gold Certified

TerraFirma Pro Ballston Plank 7" x 48" Water Proof Vinyl Plank - Minimum Order is 1 Pallet - 1820 SQFT



Please note there is a minimum order of 1 pallet. There are 1820 square feet per pallet.

Product Specifications:	Features:
Description: Plank Size 7" Wide x 48" Long, Embossed Texture Finish, 100% Waterproof	100% Waterproof Planks. Green Guard Gold Certified
Thickness: 4.5mm Total Thickness	No Acclimation Necessary
Wear Layer: 12 Mil with UV Urethane Top Layer	Rigid Planks can be installed directly over any level substrate
Construction: Rigid Composite Stone PVC Core SPC	No Glue, Nails or Underlayment Required for Installation.
Warranty: 15 Year Residential Five Year Light Commercial	Looks and Feels like genuine Hardwood without the price!
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Embossed Finish
Finish: Embossed Textured Finish, Mimics the appearance and feel of Genuine Hardwood	SPC Core is Made with 100% Recyclable Materials
Click System: Unilclic® Angle/Angle Lay Down	Antimicrobial Top Coating.
Packaging:	Pre-Attached 1.5mm EVA Foam Pad makes for a quieter and warmer floor.
Pallet: 28 sq.ft/Carton 1820 sq.ft/Pallet	To cut planks, simple score with a utility knife and the plank will easily snap.
Installs over 6,400 SQ/FT without transition	Hot Pressed Deco Paper Layer

Terrafirma Pro Veranda Plank 7" x 48" Water Proof Vinyl Plank - Minimum Order is 1 Pallet - 1820 SQFT



Please note there is a minimum order of 1 pallet. There are 1820 square feet per pallet.

Product Specifications:	Features:
Description: Plank Size 7" Wide x 48" Long, Embossed Texture Finish, 100% Waterproof	100% Waterproof Planks. Green Guard Gold Certified
Thickness: 4.5mm Total Thickness	No Acclimation Necessary
Wear Layer: 12 Mil with UV Urethane Top Layer	Rigid Planks can be installed directly over any level substrate
Construction: Rigid Composite Stone PVC Core SPC	No Glue, Nails or Underlayment Required for Installation.
Warranty: 15 Year Residential Five Year Light Commercial	Looks and Feels like genuine Hardwood without the price!
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Embossed Finish
Finish: Embossed Textured Finish, Mimics the appearance and feel of Genuine Hardwood	SPC Core is Made with 100% Recyclable Materials
Click System: Unilclic® Angle/Angle Lay Down	Antimicrobial Top Coating.
Packaging:	Pre-Attached 1.5mm EVA Foam Pad makes for a quieter and warmer floor.
Pallet: 28 sq.ft/Carton 1820 sq.ft/Pallet	To cut planks, simple score with a utility knife and the plank will easily snap.
Installs over 6,400 SQ/FT without transition	Hot Pressed Deco Paper Layer

Terrafirma Pro Timberland Oak 7.25" x 48" Water Proof Vinyl Plank - Minimum Order is 1 Pallet - 1883.05 SQFT



Please note there is a minimum order of 1 pallet. There are 1883.05 square feet per pallet.

Product Specifications:	Features:
Description: Plank Size 7.25" Wide x 48" Long, Embossed Texture Finish, 100% Waterproof	100% Waterproof Planks. Green Guard Gold Certified
Thickness: 4.5mm Total Thickness	100% Waterproof Planks
Wear Layer: 12 Mil with UV Urethane Top Layer	No Acclimation Necessary
Construction: Rigid Composite Stone PVC Core SPC	Rigid Planks can be installed directly over any level substrate
Warranty: 15 Year Residential Five Year Light Commercial	No Glue, Nails or Underlayment Required for Installation.
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Looks and Feels like genuine Hardwood without the price!
Finish: Embossed Textured Finish, Mimics the appearance and feel of Genuine Hardwood	Embossed Finish. Hot Pressed Deco Paper Layer
Click System: Unilclic® Angle/Angle Lay Down	SPC Core is Made with 100% Recyclable Materials
Packaging:	Antimicrobial Top Coating.
Pallet: 28.97 sq.ft/Carton 1883.05 sq.ft/Pallet	Pre-Attached 1.5mm EVA Foam Pad makes for a quieter and warmer floor.
Installs over 6,400 SQ/FT without transition	To cut planks, simple score with a utility knife and the plank will easily snap.

Terraforma Pro Wolf Plains Ash 7.25" x 48" Water Proof Vinyl Plank - Minimum Order is 1 Pallet - 1883.05 SQFT



Please note there is a minimum order of 1 pallet. There are 1883.05 square feet per pallet.	
Product Specifications:	Features:
Description: Plank Size 7.25" Wide x 48" Long, Embossed Texture Finish, 100% Waterproof	100% Waterproof Planks
Thickness: 4.5mm Total Thickness	No Acclimation Necessary
Wear Layer: 12 Mil with UV Urethane Top Layer	Rigid Planks can be installed directly over any level substrate
Construction: Rigid Composite Stone PVC Core SPC	No Glue, Nails or Underlayment Required for Installation.
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Looks and Feels like genuine Hardwood without the price!
Finish: Embossed Textured Finish, Mimics the appearance and feel of Genuine Hardwood	Embossed Finish
Click System: Unilclick® Angle/Angle Lay Down	SPC Core is Made with 100% Recyclable Materials
Packaging:	Antimicrobial Top Coating.
Pallet: 28.97 sq.ft/Carton 1883.05 sq.ft/Pallet	Pre-Attached 1.5mm EVA Foam Pad makes for a quieter and warmer floor.
Installs over 6,400 SQ/FT without transition	To cut planks, simple score with a utility knife and the plank will easily snap.
Green Guard Gold Certified	Hot Pressed Deco Paper Layer
Warranty: 15 Year Residential Five Year Light Commercial	

Terrafirma Pro Slate Grey 12" x 24" x 4.5mm Luxury Vinyl Plank - Minimum Order is 1 Pallet - 1320 SQFT



Please note there is a minimum order of 1 pallet. There are 1883.05 square feet per pallet.

Please note there is a minimum order of 1 pallet. There are 1883.05 square feet per pallet.	
Product Specifications:	Features:
Description: Plank Size 12" Wide x 24" Long, Embossed Texture Finish, 100% Waterproof	100% Waterproof Planks
Thickness: 4.5mm Total Thickness	No Acclimation Necessary
Wear Layer: 12 Mil with UV Urethane Top Layer	Rigid Planks can be installed directly over any level substrate
Construction: Rigid Composite Stone PVC Core SPC	No Glue, Nails or Underlayment Required for Installation.
Warranty: 15 Year Residential Five Year Light Commercial	Looks and Feels like genuine Hardwood without the price!
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Embossed Finish
Finish: Embossed Textured Finish, Mimics the appearance and feel of Genuine Hardwood	SPC Core is Made with 100% Recyclable Materials
Click System: Unilclic® Angle/Angle Lay Down	Antimicrobial Top Coating.
Packaging:	Pre-Attached 1.5mm EVA Foam Pad makes for a quieter and warmer floor.
Pallet: 12 Planks/Carton - 28.97 sq.ft/Carton - 43.56lbs/Carton 65 Cartons /Pallet - 1883.05 sq.ft/Pallet	Green Guard Gold Certified
Installs over 6,400 SQ/FT without transition	Hot Pressed Deco Paper Layer
To cut planks, simple score with a utility knife and the plank will easily snap.	

Terrafirma Ultra Polar Grey 7.25" x 48" Water Proof Vinyl Plank - Minimum Order is 1 Pallet - 1086.30 SQFT



Please note there is a minimum order of 1 pallet. There are 1086.30 square feet per pallet.

Product Specifications:	Features:
Description: Plank Size 7.25" Wide x 48" Long, Embossed Texture Finish, 100% Waterproof	100% Waterproof Planks
Thickness: 6.5mm Total Thickness (5.00mm Core + 1.5mm EVA Pad attached)	No Acclimation Necessary
Wear Layer: 20 Mil with UV Ceramic Bead Coating	Rigid Planks can be installed directly over any level substrate
Construction: 5mm Rigid Composite Stone Hot Pressed SPC	No Glue, Nails or Underlayment Required for Installation.
Warranty: Lifetime Residential Fifteen Year Light Commercial	Looks and Feels like genuine Hardwood without the price!
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Embossed Finish
Click System: Unilclic® Angle/Angle Lay Down	Antimicrobial Top Coating.
Packaging:	Pre-Attached 1.5mm EVA Foam Pad makes for a quieter and warmer floor.
Pallet: 10 Planks/Carton - 24.14sq.ft/Carton - 52.80 lbs/Carton 45 Boxes/Pallet - 1086.30 sq.ft/Pallet	To cut planks, simple score with a utility knife and the plank will easily snap.
Green Guard Gold Certified	Hot Pressed Deco Paper Layer

Terraforma Ultra Bourbon Cask 7.25" x 48" Water Proof Vinyl Plank - Minimum Order is 1 Pallet - 1086.30 SQFT



Please note there is a minimum order of 1 pallet. There are 1086.30 square feet per pallet.

Product Specifications:	Features:
Description: Plank Size 7.25" Wide x 48" Long, Embossed Texture Finish, 100% Waterproof	100% Waterproof Planks
Thickness: 6.5mm Total Thickness (5.00mm Core + 1.5mm EVA Pad attached)	No Acclimation Necessary
Wear Layer: 20 Mil with UV Ceramic Bead Coating	Rigid Planks can be installed directly over any level substrate
Construction: 5mm Rigid Composite Stone Hot Pressed SPC	No Glue, Nails or Underlayment Required for Installation.
Warranty: Lifetime Residential Fifteen Year Light Commercial	Looks and Feels like genuine Hardwood without the price!
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Embossed Finish
Click System: Unilclic® Angle/Angle Lay Down	Antimicrobial Top Coating.
Packaging:	Pre-Attached 1.5mm EVA Foam Pad makes for a quieter and warmer floor.
Pallet: 10 Planks/Carton - 24.14sq.ft/Carton - 52.80 lbs/Carton 45 Boxes/Pallet - 1086.30 sq.ft/Pallet	To cut planks, simple score with a utility knife and the plank will easily snap.
Green Guard Gold Certified	Hot Pressed Deco Paper Layer

Terrafirma Ultra Distressed Oak 7.25" x 48" Water Proof Vinyl Plank - Minimum Order is 1 Pallet - 1086.30 SQFT



Please note there is a minimum order of 1 pallet. There are 1086.30 square feet per pallet.

Product Specifications:	Features:
Description: Plank Size 7.25" Wide x 48" Long, Embossed Texture Finish, 100% Waterproof	100% Waterproof Planks
Thickness: 6.5mm Total Thickness (5.00mm Core + 1.5mm EVA Pad attached)	No Acclimation Necessary
Wear Layer: 20 Mil with UV Ceramic Bead Coating	Rigid Planks can be installed directly over any level substrate
Construction: 5mm Rigid Composite Stone Hot Pressed SPC	No Glue, Nails or Underlayment Required for Installation.
Warranty: Lifetime Residential Fifteen Year Light Commercial	Looks and Feels like genuine Hardwood without the price!
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Embossed Finish
Click System: Unilclic® Angle/Angle Lay Down	Antimicrobial Top Coating.
Packaging:	Pre-Attached 1.5mm EVA Foam Pad makes for a quieter and warmer floor.
Pallet: 10 Planks/Carton - 24.14sq.ft/Carton - 52.80 lbs/Carton 45 Boxes/Pallet - 1086.30 sq.ft/Pallet	To cut planks, simple score with a utility knife and the plank will easily snap.
Green Guard Gold Certified	Hot Pressed Deco Paper Layer

Terraforma Ultra Brant Point Brown 7.25" x 48" Water Proof Vinyl Plank - Minimum Order is 1 Pallet - 1086.30 SQFT



Please note there is a minimum order of 1 pallet. There are 1086.30 square feet per pallet.

Product Specifications:	Features:
Description: Plank Size 7.25" Wide x 48" Long, Embossed Texture Finish, 100% Waterproof	100% Waterproof Planks
Thickness: 6.5mm Total Thickness (5.00mm Core + 1.5mm EVA Pad attached)	No Acclimation Necessary
Wear Layer: 20 Mil with UV Ceramic Bead Coating	Rigid Planks can be installed directly over any level substrate
Construction: 5mm Rigid Composite Stone Hot Pressed SPC	No Glue, Nails or Underlayment Required for Installation.
Warranty: Lifetime Residential Fifteen Year Light Commercial	Looks and Feels like genuine Hardwood without the price!
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Embossed Finish
Click System: Unilclic® Angle/Angle Lay Down	Antimicrobial Top Coating.
Packaging:	Pre-Attached 1.5mm EVA Foam Pad makes for a quieter and warmer floor.
Pallet: 10 Planks/Carton - 24.14sq.ft/Carton - 52.80 lbs/Carton 45 Boxes/Pallet - 1086.30 sq.ft/Pallet	To cut planks, simple score with a utility knife and the plank will easily snap.
Green Guard Gold Certified	Hot Pressed Deco Paper Layer

Terraforma Ultra Burnt Timber 7.25" x 48" Water Proof Vinyl Plank - Minimum Order is 1 Pallet - 1086.30 SQFT



Please note there is a minimum order of 1 pallet. There are 1086.30 square feet per pallet.

Product Specifications:	Features:
Description: Plank Size 7.25" Wide x 48" Long, Embossed Texture Finish, 100% Waterproof	100% Waterproof Planks
Thickness: 6.5mm Total Thickness (5.00mm Core + 1.5mm EVA Pad attached)	No Acclimation Necessary
Wear Layer: 20 Mil with UV Ceramic Bead Coating	Rigid Planks can be installed directly over any level substrate
Construction: 5mm Rigid Composite Stone Hot Pressed SPC	No Glue, Nails or Underlayment Required for Installation.
Warranty: Lifetime Residential Fifteen Year Light Commercial	Looks and Feels like genuine Hardwood without the price!
Certifications: FloorScore® certified and Formaldehyde free, meets CARB Requirements	Embossed Finish
Click System: Unilclic® Angle/Angle Lay Down	Antimicrobial Top Coating.
Packaging:	Pre-Attached 1.5mm EVA Foam Pad makes for a quieter and warmer floor.
Pallet: 10 Planks/Carton - 24.14sq.ft/Carton - 52.80 lbs/Carton 45 Boxes/Pallet - 1086.30 sq.ft/Pallet	To cut planks, simple score with a utility knife and the plank will easily snap.
Green Guard Gold Certified	Hot Pressed Deco Paper Layer